


**CERTIFICATE OF MAILING**

I hereby certify that this correspondence is being deposited on Sept. 21, 2005 with the United States Postal Service as First Class Mail under 37 CFR 1.8 in an envelope addressed to John Fitzhugh, Office of Patents Publication, Publishing Division, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

  
Benjamin L. Volk, Jr.  
Reg. No. 48,017

In re application of:  
Saito et al.

Serial No.: 09/367,630

Filed: August 19, 1999

For: Lock And Switch Using Pressure-Type  
Fingerprint Sensor

:  
:  
:  
:  
:  
:  
:  
:  
:

Examiner Ahmed, Samir A.

Group Art Unit 2623

CUSTOMER SERVICE  
PUBLISHING DIVISION

SEP 26 2005

RECEIVED

John Fitzhugh  
Office of Patents Publication  
Publishing Division  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**LETTER**

Responsive to the Notice Regarding Drawings mailed on August 5, 2005, enclosed are 44 sheets of formal drawings with corrections to the deficiencies identified in the Notice. Please use the enclosed drawings in place of the drawings previously filed with the application.

Respectfully submitted,


  
Benjamin L. Volk, Jr.  
Reg. No. 48,017  
Thompson Coburn LLP  
One US Bank Plaza  
St. Louis, Missouri 63101-1693  
(314) 552-6000  
(314-552-7000 (fax)

FIG. 1




FIG. 2A




FIG. 2B




FIG. 3




FIG. 4A




FIG. 4B




FIG. 5




FIG. 6A




FIG. 6B




FIG. 7A




FIG. 7B






FIG. 8




FIG. 9A




FIG. 9B




FIG. 10A




FIG. 10B




FIG. 11A




FIG. 11B




FIG. 12




FIG. 13




FIG. 14




FIG. 15






FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26





FIG. 27






Title:	Lock And Switch Using Pressure-Type Fingerprint Sensor
Inventor(s):	Saito et al.
Appln. No.	09/367,630
Docket #	3045-1222 (53045-1222)


24 / 44

FIG. 28












FIG. 31




FIG. 32




FIG. 33






FIG. 34A




FIG. 34B




FIG. 35




FIG. 36A




FIG. 36B




FIG. 37




FIG. 38




FIG. 39




FIG. 40A




FIG. 40B




FIG. 41






FIG. 42





FIG. 43



Title: Lock And Switch Using Pressure-Type  
Fingerprint Sensor  
Inventor(s): Saito et al.  
Appln. No. 09/367,630  
Docket # 3045-1222 (53045-1222)  
42 / 44

FIG. 44




FIG. 45




FIG. 46

